

Project *Comments*

Catalog # *Prepared By*

Type *Date*



DESCRIPTION

- Suitable for new construction in residential and commercial applications.
- IC rated. Suitable for direct contact with insulation.
- Use one 13W double twin tube, GX23-2 (not included).

HOUSING


- Aluminum construction provides greater heat dissipation.
- Ballast includes integral thermal protector guards against improper lamp use and misuse of insulation materials.
- 120V Magnetic ballast.
- 7 1/2" height allows use in 2" x 8" joist construction.

JUNCTION BOX

- Listed for through branch circuit wiring and includes several 3/4" knockouts.
- Supplied with three IDEAL® push-in wire connectors.


LISTINGS

- UL listed for direct contact with insulation.
- UL damp location
- UL feed-through
- CUL







Order No	Description	Maximum Lamp Rating
	Lexan Shower Fresnel Lens	OD: 8" Wet Location Rated
17502BZ	Bronze (shown)	
17502R	White w/ Reflector	
17502OB	Oil-Rubbed Bronze	
17502	White w/ Metal Trim Ring	
17572WH	White w/ Plastic Trim Ring	




Order No	Description	Maximum Lamp Rating
	Lexan Shower Albalite Lens	OD: 8" Wet Location Rated
17505BZ	Bronze	
17505NK	Nickel	
17505R	White w/ Reflector	
17505OB	Oil-Rubbed Bronze	
17505	White w/ Metal Trim Ring (shown)	
17575WH	White w/ Plastic Trim Ring	




Order No	Description	Maximum Lamp Rating
	Lexan Drop Opal	OD: 8" Wet Location Rated
17509R	White w/ Reflector	
17509	White w/ Metal Trim Ring (shown)	
17579WH	White w/ Plastic Trim Ring	



Order No	Description	Maximum Lamp Rating
	Specular Refector	OD: 7"
17518CL	Clear (shown)	
17518WH	White	



Order No	Description	Maximum Lamp Rating
	Reflector Baffle	OD: 7 1/4"
17520CL	Clear (Black/Baffle)	
17520CLWH	Clear (White/Baffle)	
17520GD	Gold (Black/Baffle) (shown)	




	Order No	Description	Maximum Lamp Rating	
	17522BK 17522WH	Baffle Fresnel Lens Black White (shown)	OD: 7"	
	Order No	Description	Maximum Lamp Rating	
	17523BK 17523WH	Baffle Albalite Lens Black (shown) White	OD: 7"	
	Order No	Description	Maximum Lamp Rating	
	17524BK 17524WH	Baffle Drop Opal Black (shown) White	OD: 7&1/4"	
	Order No	Description	Maximum Lamp Rating	
	17525BK	Baffle Cone Black	OD: 7&1/2"	
	17525BZ	Bronze		
	17525NK	Nickel		
	17525OB	Oil-Rubbed Bronze		
	17525WH	White (shown)		
	Order No	Description	Maximum Lamp Rating	
	17537BK 17537WH	Wall Wash Baffle Black (shown) White	OD: 7&1/4"	
	Order No	Description	Maximum Lamp Rating	
	17540BK	Wall Wash Reflector Black	OD: 7&1/4"	
	17540CL	Clear (shown)		
	17540GD	Gold		
	17540WH	White		



Order No	Description	Maximum Lamp Rating
----------	-------------	---------------------

17554	Ribbed Reflector Gold	OD: 7&1/4"
-------	---------------------------------	------------



Order No	Description	Maximum Lamp Rating
----------	-------------	---------------------

17555	Ribbed Reflector Clear	OD: 7&1/4"
-------	----------------------------------	------------

